

Easily manage and track all critical assets

The Geotab GO Anywhere asset tracker helps proactively manage all of the critical assets involved in your day-to-day operations.

Just like you may currently track vehicles and construction equipment, you can now manage all of your powered and non-powered assets through the same platform.

Rugged

IP68 and IP69K rated

Long life

Up to 10 year*
battery lifespan

Asset management

Know where your assets
are and where they've been

Asset recovery

Alarm notification if stationary
asset changes location

Easy to install

Self install to get up
and running quickly

View assets and vehicles

Manage assets and
vehicles together in
same platform

Asset utilization

Know which assets are
available for use



Daily update

Location data collected every
15 minutes/up to 3 pings every 24 hours

The **GO Anywhere** is the first Geotab-built device specifically to manage and track your critical assets. Whether you have trailers, shipping/intermodal containers, or equipment in the construction, airline operations, mining or delivery services, Geotab can help. Track valuable assets and your vehicles in the same trusted platform.

Designed to track and provide location updates for both powered and non-powered assets, the **GO Anywhere** offers a fully integrated experience within the MyGeotab application. Maximize usage of your critical assets and know which assets are available for use versus assigned to a job or project.

If it's a valuable asset to your business, we can help you track and manage it.

*Depending upon ping rate and use

The GO Anywhere provides visibility into the current location of all of your assets

Once you know where your assets are located, you can ensure that you are maximizing the usage of your assets. No more need to rent replacement assets because you didn't know where certain assets were located.

GO Anywhere: Features and benefits



Asset utilization

Know which assets are being utilized/non-utilized.



Daily updates

Location data collected every 15 minutes and up to 3 pings per 24 hours.



Long life

Up to 10 year* battery lifespan.



Compliance

NDAA & TAA compliant.



Self-install

Attach via screws or magnets in minutes.



Rugged

IP68 and IP69K rating to thrive in harsh work environments.



Coverage

If the asset tracker is outside of cellular coverage, it will continue to save its messages and send them out on its next call in time.



Asset recovery


Alarm notification if stationary asset changes location.

MyGeotab Integration



Secure

Each asset tracker is individualized with an unique ID and non-static security key to make it difficult to fake a device's identity.



Singular Platform

Manage all of your critical assets and vehicles in your current Geotab platform.



Updates

Product updates provided over-the-air.

**Depending upon ping rate and use*

GO Anywhere is ideal* for the following assets:

- Containers/intermodal shipping containers
- Construction equipment - generators, tools, scissor lifts, etc
- Logistics/shipping equipment
- Operational equipment for airport & marine use
- Porta-pottys
- Trailers
- Trash bins
- Utility equipment

**GO Anywhere asset trackers require line of sight to the sky and are best utilized for assets that live outdoors*

Geotab Asset Tracker modes



Activation mode

Device arrives activated, ready to install.



Sleep mode

When device doesn't move for 72 hours, it enters sleep mode and updates with 1 ping every 72 hours to maximize battery lifespan.



Track and trace mode

When the device is on an asset that is moving, it enters track and trace mode. Location data collection every 15 minutes and ping rates resume.

Geotab technical specifications

Battery	Three Lithium/Iron Disulfide batteries
Communication Rate	Data collection every 15 minutes/update via pings from 1 to 3 times per 24 hours
Installation	Self-installation with mounting screws or magnets
IP Rating	IP68 and IP69K
Lifespan	Up to 10 years depending upon ping rate and use
Size	111 x 71 x 30 mm 4.37" x 2.79" x 1.18"
Temperature	-40°C / +60°C -40°F / 104°F
Weight	170 g/2.47 oz
Accelerometer	3-axis accelerometer to detect movement, high G-force events
Antenna	Internal GNSS
Certification	FCC/IC AT&T Bell
Connectivity	CAT M1 and NB-IoT
Memory	64MB Flash
Processor	160MHz ARM Cortex MCU 786RAM, 2MB Flash
NDAA and TAA compliant	Yes
Updates	Delivered over-the-air
Warranty	One year

Contact us today to learn how the GO Anywhere can help you easily track and manage your assets!

Learn more at geotab.com or contact your reseller today.

© 2024 Geotab Inc. All rights reserved.

Geotab and the Geotab logo are registered trademarks of Geotab Inc.